Homefields Primary School Progression in Calculations



Progression in Calculations

Addition/Subtraction


Year group labels denotes in which year group a particular method is introduced or consolidated/extended.

Objective and Strategies	Concrete	Pictorial	Abstract
Objective and Strategies	Concrete	rictorial	Abstract
One more than and one less	Using object/fingers/songs.	Number line.	
FS2			
Counting in groups of two.	With two groups of objects.	Pictures of two groups of objects.	Addition problems (along a counting stick)
FS2		₩ ₩ ₩	
		₩ ₩ ₩	4 + 3 Pictorial to compliment the
			abstract representation.

Progression in Calculations

Addition

Objective and Strategies	Concrete	Pictorial	Abstract
Combining two parts to make a whole: part-whole model FS2 Year 1	Use cubes to add two numbers together as a group or in a bar.	Use pictures to add two numbers together as a group or in a bar.	4 + 3 = 7 10= 6 + 4 5 Use the part-part whole diagram as shown above to move into the abstract.
Starting at the bigger number and counting	/*************************************	12 + 5 = 17	5 + 12 = 17
on. FS2	Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the	10 11 12 13 14 15 16 17 18 19 20	
Year 1	answer.	Start at the larger number on the number line and count on in ones or in one jump to find the answer.	Place the larger number in your head and count on the smaller number to find your answer.



Column method-exchanging

Year 2


Year 3

Year 4


Year 5 (decimal addition)

Year 6

Make both numbers on a place value grid.



Add up the units and exchange 10 ones for one 10.




Add up the rest of the columns, exchanging the 10 counters from one column for the next place value column until every column has been added.

This can also be done with Base 10 to help children clearly see that 10 ones equal 1 ten and 10 tens equal 100.

As children move on to decimals, money and decimal place value counters can be used to support learning.

Children can draw a pictoral representation of the columns and place value counters to further support their learning and understanding.



In Year 6, increasingly more difficult problems including decimal numbers with different number of decimal places.

The decimal point should not have its own column.

Start by partitioning the numbers before moving on to clearly show the exchange below the addition.

$$\begin{array}{rrrr} 20 & + & 5 \\ \underline{40} & + & 8 \\ 60 & + & 13 & = 73 \end{array}$$

As the children move on, introduce decimals with the same number of decimal places and different. Money can be used here. $\frac{536}{621}$

Subtraction


Objective and Strategies	Concrete	Pictorial	Abstract
Taking away ones	Use physical objects, counters, cubes etc to show how objects can be taken away.	Cross out drawn objects to show what has been taken away.	18 -3= 15 8 - 2 = 6
FS1/2 Year 1 & 2	6-2=4		
		15 – 3 = 12	
Counting back	Make the larger number in your subtraction. Move the beads along your	Count back on a number line or number track	Put 13 in your head, count back 4. What number are
Begin end of FS2)	bead string as you count backwards in ones.	9 10 11 12 13 14 15	you at? Use your fingers to help.
Year 1 & 2	13 – 4	Start at the bigger number and count back the smaller number showing the jumps on the number line.	
	Use counters and move them away from the group as you take them away counting backwards as you go.	-10	
		This can progress all the way to counting back using two 2 digit numbers.	

Find the	Compare amounts and objects to find		Hannah has 23 sandwiches,
	the difference.	+6 Count on to	Helen has 15 sandwiches.
difference		find the	Find the difference between
		difference.	the number of sandwiches.
Year 2	Use cubes to	0 1 2 3 4 5 6 7 8 9 10 11 12	
rear 2	build towers or make bars to		
	find the		
Year 3	difference	Comparison Bar Models	
		Draw bars to Lisa is 13 years old. Her sister is 22 years old.	
	Use basic bar	find Find the difference in age between them.	
	models with	the difference 13 ?	
	items to find the difference	between 2 numbers.	
	3 Erasers	Sister	
	F		
		22	
D () () ()	Link to addition you	Line a mintage of the second state of the second se	
Part Whole	Link to addition- use the part whole model	Use a pictorial representation of objects to show the part part whole model.	
Model	to help explain the	part whole model.	5
	inverse between		10
	addition and		
Year 2	subtraction.		
	If 10 is the whole and 6 is one of the		Move to using numbers
Year 3	parts. What is the other part?		within the part whole model.
	10 - 6 =		
Make 10	14 – 9 =		16 0_
		13 - 7 = 6	16 – 8=
Year 2		3 4	How many do we take off to
		0 1 2 3 4 5 (6) 7 8 9 (10) 11 12 (13) 14 15 16 17 18 19 20	reach the next 10?
Year 3		Start at 13. Take away 3 to reach 10. Then take away the	
i Gai J	Make 14 on the ten frame. Take away	remaining 4 so you have taken away 7 altogether. You	How many do we have left
	the four first to make 10 and then	have reached your answer.	to take off?
	takeaway one more so you have taken		
	away 5. You are left with the answer of 9.		
	·		1

Column method without regrouping

Year 2


Year 3



Show how


number first.

Use Base 10 to make the bigger number then take the smaller number away.



Draw the Base 10 or place value counters alongside the written calculation to help to show working.

Calculations



This will lead to a clear written column subtraction.



you partition numbers to subtract.
Again make the larger

Column method with regrouping

Year 2 (2 digits)

Year 3 (3 digits)

Year 4 (4 digits)


Further consolidation throughout year 5 & 6 - compact method


Use Base 10 to start with before moving on to place value counters. Start with one exchange before moving onto subtractions with 2 exchanges.

Make the larger number with the place value counters

100	10	•	<u>Calculations</u>
100 100	(10 (10 (10 (10 (10 (10 (10 (10 (10 (10	0000	234 - 88

Start with the ones, can I take away 8 from 4 easily? I need to exchange one of my tens for ten ones.





42-18=24

10 1111

When confident, children can find their own way to record the exchange/regrouping.

Draw the counters onto

taken away by crossing

the counters out as well

as clearly showing the

exchanges you make.

a place value grid and

show what you have

Just writing the numbers as shown here shows that the child understands the method and

knows when to exchange/regroup.




Children can start their formal written method by partitioning the number into clear place value columns.




Moving forward the children use a more compact method.

Later in Year 5, sees the introduction of decimal numbers.


Now I can subtract my ones.



Now look at the tens, can I take away 8 tens easily? I need to exchange one hundred for ten tens.



Now I can take away eight tens and complete my subtraction



Show children how the concrete method links to the written method alongside your working. Cross out the numbers when exchanging and show where we write our new amount. This will lead to an understanding of subtracting any number including decimals.

Multiplication

Objective and Strategies	Concrete	Pictorial	Abstract
Doubling	Use practical activities to show how to double a number.	Draw pictures to show how to double a number.	16
FS2/Year 1 Year 2/3		Double 4 is 8	10 6 x2 x2
	double 4 is 8 $4 \times 2 = 8$		Partition a number and then double each part before recombining it back together.
Counting in multiples End of FS2 (concrete and pictorial – 2s,		200 20 20 25 30	Count in multiples of a number aloud. Write sequences with multiples of numbers. 2, 4, 6, 8, 10
5s, 10s) Year 1/2/3	Count in multiples supported by concrete objects in equal groups.	Use a number line or pictures to continue support in counting in multiples.	5, 10, 15, 20, 25 , 30

Repeated addition

Year 2

Year 3/4




Use different objects to add equal groups.

There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there?



2 add 2 add 2 equals 6



Write addition sentences to describe objects and pictures.



Arraysshowing commutative multiplication

Year 3

Year 4


Create arrays using counters/ cubes to show multiplication sentences.



+ 3 + 3



Draw arrays in different rotations to find **commutative** multiplication sentences.



Link arrays to area of rectangles.

 $2 \times 4 = 8$

0000 4×2=8

00

4×2=8

2×4=8

5 + 5 + 5 = 15

Use an array to write multiplication sentences and reinforce repeated addition.



$$5 + 5 + 5 = 15$$

$$3 + 3 + 3 + 3 + 3 = 15$$

$$5 \times 3 = 15$$


$$3 \times 5 = 15$$

Grid Method

Year 3/4


Year 4/5

Show the link with arrays to first introduce the grid method.




Move on to using Base 10 to move towards a more compact method.


4 rows of 13




Move on to place value counters to show how we are finding groups of a number.We are multiplying by 4 so we need 4 rows.



Fill each row with 126.




Add up each column, starting with the ones making any exchanges needed.



Children can represent the work they have done with place value counters in a way that they understand.

They can draw the counters, using colours to show different amounts or just use circles in the different columns to show their thinking as shown below.




Start with multiplying by one digit numbers and showing the clear addition alongside the grid.

×	30	5
7	210	35

$$210 + 35 = 245$$

Moving forward, multiply by a 2 digit number showing the different rows within the grid method.



Х	1000	300	40	2
10	10000	3000	400	20
8	8000	2400	320	16

Column multiplication


Year 3 - only TUx0 (focus on pictorial, moving onto compact method)

Year 4 (HTUx0)

Year 5 – Short multiplication compact method


Year 5 – long multiplication compact methods


Year 3 – short and long multiplication compact methods Children can continue to be supported by place value counters at the stage of multiplication.



It is important at this stage that they always multiply the ones first and note down their answer followed by the tens which they note below.

Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods.





Start with long multiplication, reminding the children about lining up their numbers clearly in columns.

If it helps, children can write out what they are solving next to their answer.

This moves to the more compact method.

Division

Objective and Strategies	Concrete	Pictorial	Abstract
Sharing objects into groups	I have 10 cubes, can you share them equally in 2 groups?	Children use pictures or shapes to share quantities.	Share 9 buns between three people. $9 \div 3 = 3$
FS2/Year 1 (sharing objects into equal groups) Year 2	10	$8 \div 2 = 4$	
Division as grouping	Divide quantities into equal groups. Use cubes, counters, objects or place value counters to aid understanding.	Use a number line to show jumps in groups. The number of jumps equals the number of groups.	$28 \div 7 = 4$ Divide 28 into 7 groups.
Year 2	10	0 1 2 3 4 5 6 7 8 9 10 11 12	How many are in each group?
Year 3		3 3 3 3	
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group.	
		?	
	一般 安 安	20 ÷ 5 = ? 5 x ? = 20	

Division within arrays

Year 3

Year 4



Link division

multiplication by creating an array and thinking about the number sentences that can be created.

Eg
$$15 \div 3 = 5$$
 $5 \times 3 = 15$
 $15 \div 5 = 3$ $3 \times 5 = 15$

Division with a remainder


Year 3

Year 4



 $14 \div 3 =$

Divide objects between groups and see how much is left over





Draw an array and use lines to split the array into groups to make multiplication and division sentences. Find the inverse of multiplication and division sentences by creating four linking number sentences.

$$7 \times 4 = 28$$

 $4 \times 7 = 28$
 $28 \div 7 = 4$
 $28 \div 4 = 7$

Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder.



Draw dots and group them to divide an amount and clearly show a remainder.









Complete written divisions and show the remainder using r.


Division

Year 3 – introduce concept of exchanging in division through pictorial representations.


Year 4 –
develop concept
of exchanging in
division through
pictorial
representations –
part/whole models
and number lines.

Year 5 –
'Chunking'
method to be
used as an
illustrative
method only,
leading swiftly to
the short 'bus
stop' method.

Year 6 –
Introduce the long 'drop down' method when dividing by non-multiples of 10 higher than 12




Use place value counters to divide using the chunking method alongside




 $42 \div 3 =$

Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.




We exchange this ten for ten ones and then share the ones equally among the groups.




We look how much in 1 group so the answer is 14.


Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.




Encourage them to move towards counting in multiples to divide more efficiently.




 $33 \div 9 = ?$ How many lots of 9 are there in 33?



Begin with 'chunking' method for divisions that divide equally with no remainder.



Move onto divisions with a remainder.



Move to bus stop method when place value is secure.

Long division –generally used when the divisor is greater than 10

7			6)		6)		6)		6)	
			1		1		1		1	
			x		X		Х		Х	
			0		0		5		(2	
			(ı		(1		(. 1	
	7	2		2	0	2	0	2	2	0
2	2	13	6	7	6	1	8	3	3	0
		14		2	1	X				
		6			-		-		-	
_		1								

With remainders

						4			
1	9	3	12	7					
	-	1	9	0	(1	٥	Х	1	9)
		°X	13	7					
	-		9	5		(5	x	1	4)
			3H	١2.					
			3	8		(2	X	1	9)
			0	4		7,4-2			2000

In the final stage remainders will be interpreted as decimals or fractions, appropriate to context.

	4	3	2	÷	1	5				
			2	8	4	0	r	2	8	. 8
1	5	4								
	- 4	3	0	0	(2	٥	Х	1	5)	
		°X	3	12						
			7	5	(5	Х	1	5)	
	_		5	7						
			4	5	(3	×	1	5)	
			1	2						
	12	=	4	=	0	.8				
	15		5	1						

The formal long division method is introduced. Where appropriate, children should be interpreting remainders as whole numbers, fractions, decimals or rounding as required.

			2	3
1	9	4	3	7
		3	8	+
		0	5	7
			5	7
			0	D

Correct terminology	Incorrect terminology		
ones			
zero	0 as in the letter 0		
Exchange	Borrowing		
Exchanging	Stealing		
Regrouping			
Calculation			
Equation			